

GRONINGEN ARCHAEOLOGICAL STUDIES

VOLUME 21

Editorial board

Prof. dr. D.C.M. Raemaekers
Prof. dr. P.A.J. Attema
Prof. dr. R.T.J. Cappers
Prof. dr. L. Hacquebord
Dr. W. Prummel
Prof. dr. H.R. Reinders
Prof. dr. S. Voutsaki

Groningen Institute of Archaeology
Poststraat 6
NL-9712 ER Groningen
the Netherlands
gia@rug.nl

Website
www.gas.ub.rug.nl

Publishers' address

Barkhuis
Zuurstukken 37 9761 KP Eelde the Netherlands
Tel. 0031 50 3080936 Fax 0031 87 7844285
info@barkhuis.nl www.barkhuis.nl

A bouquet of archaeozoological studies

Essays in honour of Wietske Prummel

Editors: D.C.M. Raemaekers, E. Esser, R.C.G.M. Lauwerier and J.T. Zeiler



Barkhuis &
University of Groningen Library
Groningen 2012

Book design, cover design and typesetting: Nynke Tiekstra, ColtsfootMedia, Noordwolde

Image Front cover: "Canis familiaris intermedius" from the terp-mound of Aalsum designed by Schoor 1887 (after Knol, this volume).

Image Back cover: Wietske teaching students at the bonelab of the Groningen Institute of Archaeology (photo J. van Gent MA).



**university of
 groningen**

Foreword © the editors

Chapters © the authors of the individual chapters

ISBN 9789491431159

All rights reserved. No part of this publication or the information contained herein may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronical, mechanical, by photocopying, recording or otherwise, without prior written permission from the copyright owners.

Although all care is taken to ensure the integrity and quality of this publication and the information herein, no responsibility is assumed by the publishers nor the authors for any damage to property or persons as a result of operation or use of this publication and/or the information herein.

Table of contents

Foreword

Methodology and research history

1. Age determination of reindeer (*Rangifer tarandus*) based on postcranial elements 11
Liselotte M. Takken Beijersbergen and Anne K. Hufthammer
2. Dr W.K.J. Schoor and the Frisian Terp Dog 21
Egge Knol

Prehistory

3. Butchered large bovids (*Bos primigenius* and *Bison priscus*) from the Palaeolithic throwing spear site of Schöningen 13 II-4 (Germany) 33
Thijs van Kolfschoten, Monika Knul, Elfi Buhrs and Mirthe Gielen
4. Holocene fauna from brook valleys in the southern Netherlands 47
Theo P.J. de Jong
5. An Early Atlantic Mesolithic site with micro-triangles and fish remains from Almere (the Netherlands) 61
Marcel J.L.Th. Niekus, Dick C. Brinkhuizen, André A. Kerkhoven, Jerry J. Huisman and Dick E.P. Velthuisen
6. Three maritime bell beakers decorated with shells from the Netherlands 79
Erik Drenth and Laure Salanova
7. Hunting the Bezoar Goat: Sympathetic Magic in Early Bronze Age Arslantepe 85
Alice M. Choyke
8. Only for consumption? Bird exploitation at Hauterive-Champréveyres (Neuchâtel, Switzerland) during the Late Bronze Age 95
Jacqueline Studer

9. Changes in prehistoric landscapes: archaeozoological data on Poduri-Dealul Ghindaru tell (Bacau County, Romania) 105
Luminita Bejenaru and Simina Stanc
10. Of dogs and man. Finds from the terp region of the Northern Netherlands in the pre-Roman and Roman Iron Age 111
Annet Nieuwhof

Roman period

11. The scurred cattle of the Roman period in the Netherlands 123
Arjan Hullegie
12. Hornless (polled) cattle in the Netherlands: a Roman-period phenomenon 129
Roel C.G.M. Lauwerier and Frits J. Laarman

Medieval period

13. An insight into animal exchange in Early Medieval Oegstgeest: a combined archaeozoological and isotopic approach 141
Inge M.M. van der Jagt, Lisette M. Kootker, Thijs van Kolfschoten, Henk Kars and Gareth R. Davies
14. 'Leffinge - Oude Werf': the first archaeozoological collection from a *terp* settlement in coastal Flanders 153
Anton Ervynck, Pieterjan Deckers, An Lentacker, Dries Tys and Wim Van Neer
15. The animal remains from the wreck of the cog from Wismar-Wendorf (15th century AD) 165
Dirk Heinrich

Post-medieval period

16. Possible evidence for hawking from a 16th century Styrian Castle (Bajcsa, Hungary) 173
Erika Gál
17. Show me your hawk, I'll tell you who you are 181
László Bartosiewicz

9 Changes in prehistoric landscapes: archaeozoological data on Poduri-Dealul Ghindaru tell (Bacau County, Romania)

Luminita Bejenaru and Simina Stanc

Introduction

The Tell of Poduri-Dealul Ghindaru is located in the county of Bacau, in eastern Romania (46°27' 59" N, 26°32' 10" E; Figure 1). The site stands at 429 m above sea level on a 30 m-high terrace on the right bank of the Tazlau Sarat river and has a known extent of c. 1.2 ha.

Research at Poduri-Dealul Ghindaru began in the 1979-1996 period, under the direction of the archaeologist Dan Monah. Later, in 2000-2007, extensive archaeological work was carried out, under the direction of the archaeologists Dan Monah and Gheorghe Dumitroaia. Excavators studying the stratification over some 27 campaigns have identified levels belonging to the Precucuteni and Cucuteni Chalcolithic cultures and to the Early Bronze Age (Monah *et al.* 2003). The first chalcolithic inhabitants of Precucuteni culture settled at Poduri-Dealul Ghindaru around 5820 BP, which corresponds to the period 4780-4619 cal. BC. The Cucuteni A level has been dated between 4665-4050 cal. BC. (Monah *et al.* 2003).

Archaeozoological analyses began in 2001-2002, carried out by Balasescu and Radu. Their research focused on the taxonomic frequency distributions of the remains in the faunal assemblages (Monah *et al.* 2001; 2002). Later, Cavaleriu and Bejenaru (2009), Bejenaru *et al.* (2009), Oleniuc (2010), and Bejenaru (unpublished data) were interested in subsistence patterns associated with Chalcolithic and Bronze Age settlements in Poduri-Dealul Ghindaru. A ritual deposition of two pig skeletons in the Cucuteni level of the Tell was discussed by Balasescu (2009). During the 2005 campaign, an unusual deposit of 25 astragali (twenty-one of the astragali from cattle, three from red deer, and one from sheep/goat) was discovered in the Cucuteni A level, dated to 4662-4465 cal. BC. (Mantu 1998). It was interpreted as a ritual deposit designed to bring good fortune to a new dwelling (Bejenaru *et al.* 2010).



Figure 1 Map showing the location of the Tell of Poduri-Dealul Ghindaru in eastern Romania.

Assemblage composition and temporal analysis

As indicated in Table 1, mammal remains are predominant (about 99%); birds, fish and molluscs are represented by less than 1% of the identified assemblages. In the group of identified mammals, Artiodactyls make up 96% of the total identified mammal assemblage. Fewer remains come from the other groups: Carnivores (2.28%), Perissodactyls (0.37%), Lagomorphs (0.23%) and Rodents (0.21%). Within the artiodactyl order, domestic artiodactyls dominate, and cattle remains are more numerous than those of sheep/goat and pig.

The proportions of domestic mammals show a progressive increase in time, from 86% in Cucuteni A to 92% in Bronze Age, which indicates the importance of animal husbandry (Table 1).

Table 1 Frequency of mammalian taxa from Poduri-Dealul Ghindaru (NISP=number of identified specimens).

Order	Species	Chalcolithic Cucuteni A (Cavaleriu & Bejenaru, 2009)		Chalcolithic Cucuteni B (Oleniuc, 2010)		Bronze Age (Bejenaru, unpublished data)	
		NISP	%	NISP	%	NISP	%
Artiodactyla	<i>Bos taurus</i>	1895	58.1	3465	38.6	1109	50.8
	<i>Ovis aries/Capra hircus</i>	519	15.9	3029	33.7	552	25.2
	<i>Sus scrofa domesticus</i>	339	10.4	1402	15.6	292	13.3
Carnivora	<i>Canis familiaris</i>	57	1.7	134	1.4	36	1.6
Perissodactyla	<i>Equus caballus</i>	-	-	-	-	18	0.8
Total domestic mammals		2810	86.2	8030	89.5	2007	92.4
Artiodactyla	<i>Bos primigenius</i>	43	1.3	76	0.8	11	0.5
	<i>Cervus elaphus</i>	170	5.2	359	4	56	2.5
	<i>Capreolus capreolus</i>	53	1.6	89	0.9	17	0.7
	<i>Dama dama</i>	1	0.03	4	0.05	0	0
	<i>Alces alces</i>	0	0	2	0.02	0	0
	<i>Sus scrofa ferus</i>	133	4.08	304	3.3	59	2.7
Rodentia	<i>Castor fiber</i>	10	0.3	12	0.1	3	0.1
	<i>Sciurus vulgaris</i>	0	0	4	0.05	0	0
Lagomorpha	<i>Lepus europaeus</i>	3	0.09	30	0.3	6	0.2
Carnivora	<i>Canis lupus</i>	0	0	3	0.03	1	0.05
	<i>Vulpes vulpes</i>	1	0.03	7	0.07	1	0.05
	<i>Ursus arctos</i>	24	0.7	16	0.1	7	0.3
	<i>Martes sp.</i>	2	0.06	6	0.06	1	0.05
	<i>Mustela putorius</i>	1	0.03	2	0.02	1	0.05
	<i>Meles meles</i>	2	0.06	1	0.01	0	0
	<i>Felis silvestris</i>	0	0	14	0.1	0	0
	<i>Equus caballus</i>	7	0.2	8	0.09	-	-
Total wild mammals	450	13.8	937	10.4	163	7.5	
Total identified mammals		3260	100	8967	100	2170	100
Mollusca+Fish+Aves		60		38		13	
Total identified remains		3320		9005		2183	

Figure 2 indicates a change in the proportion of cattle / sheep and goat during the end of the Chalcolithic. The predominance of cattle is typical for the Cucuteni A sites (Haimovici, 1987), while in the Cucuteni B assemblage, sheep and goat remains are more numerous indicating that this group contributed more to the subsistence economy. Probably, the expansion of open fields, with characteristic vegetation and dry climate, favoured sheep and goat husbandry more than cattle breeding. It is considered that during the 5th-4th millennium BC, in the range of Cucuteni culture, the annual average temperature was about 2°C higher than today (Dolukhanov 1997). The proportion of wild mammals is low and decreases from 13% in Cucuteni A level to 7% in Bronze Age. They consist of 13 species in Cucuteni A, 17 species in Cucuteni B, and 11 in Bronze Age (Table 1). As game species, red deer (*Cervus elaphus*) is dominant with 5%/4%/2% remains. Wild boar (*Sus scrofa ferus*) comes second in number of identified specimens (4%/3%/2%). We have to mention that in many

other Cucuteni A assemblages red deer is also the most frequent game species (Haimovici, 1987). The identified wild mammals were grouped corresponding to ecological characteristics in: forest species (*Cervus elaphus*, *Dama dama*, *Alces alces*, *Sus scrofa ferus*, *Ursus arctos*, *Felis silvestris*, *Sciurus vulgaris* and *Castor fiber*), forest-skirts (transitional zones between forest and steppe) species (*Capreolus capreolus*, *Lepus europaeus* and *Bos primigenius*), and eurytopic species (*Canis lupus*, *Vulpes vulpes*, *Mustela putorius*, and *Meles meles*). Forest species are dominant in all the assemblages, in similar proportions to the forest-skirts and eurytopic species (Figure 3).

The temporal taxonomic variability of the animal resources used in the Cucuteni settlement of Poduri-Dealul Ghindaru is shown in Table 1. Similar proportions among the main mammal groups are evident in the three assemblages (Figure 4).




Figure 2 Frequencies of cattle, sheep/goat and pig remains (% NISP).




Figure 3 Distribution of wild mammal remains according to the ecological characteristics of species (% NISP).




Figure 4 Frequencies of major taxonomic mammal groups (% NISP).

Artiodactyls, the main group, served different economic (food, clothing, raw materials for tool manufacture) and ceremonial purposes. However, we have to remark a higher percentage of lagomorphs, in the Cucuteni *B* assemblage, that could be correlated with an expansion of open fields, with characteristic vegetation and dry climate. The horse, representing the perissodactyls, has a low frequency in the Cucuteni *A* sample; it was very probably a rarely hunted wild species. Many authors consider that the domesticated form was not yet widespread in Europe at Chalcolithic time and appeared later in Europe, in the Bronze Age (Benecke and Von den Driesch 2003).

Conclusions

Relative large assemblages of animal remains were recovered from excavations in the Tell of Poduri-Dealul Ghindaru, being chronologically assigned to the Chalcolithic (Cucuteni *A*, Cucuteni *B*) and Bronze Age.

The majority of animal remains are from mammals, and only few pieces from birds, fish and molluscs. The Chalcolithic settlements of Poduri-Dealul Ghindaru have a relative large faunal spectrum, especially in Cucuteni *B* (17 wild mammal species).

The subsistence economy was dominated in all three settlements by domestic mammals, especially cattle, a pattern similar to other Chalcolithic and Bronze Age sites in the region. However, a change in the economy appear to the end of Chalcolithic period (in Cucuteni *B*), when sheep and goat became more important, probably in correlation with a drier natural environment. A Chalcolithic community with economic specialization in cattle husbandry is proposed for phase *A* of the Cucuteni culture. In this phase, the frequency of pig is lower (10%) than in the next periods. The NISP percentage for pig is higher towards the end of Chalcolithic, with a value of 15% and again lower in the early Bronze Age level, with a value of 13%. We may suppose that as result of an increasing mobility of people, pig production became less efficient in the early Bronze Age compared to husbandry in herding of other species such as sheep/goat.

Acknowledgments

We wish to thank archaeologists Dr. Dan Monah (Archaeological Institute of Iasi) and Dr. Gheorghe Dumitroaia (International Centre of Cucuteni Culture Research) for providing us the animal remains they excavated and important data used in this study.

This study was supported by the Romanian research program CNCS PN II RU-TE-2011-3-0146.

Contact addresses

Luminita Bejenaru
Alexandru Ioan
Cuza University Iasi
Faculty of Biology
Bd. Carol I 20A
700505 Iasi
Romania
Email: lumib@uaic.ro

Simina Stanc
Alexandru Ioan
Cuza University Iasi
Faculty of Biology
Bd. Carol I 20A
700505 Iasi
Romania
Email: siminams@yahoo.com

References

- Balasescu, A., 2009. Ritual depositions of *Sus domesticus* from Poduri-Dealul Ghindaru (Cucuteni culture, Bacau County, Romania). *Annales d'Universite "Valahia" Targoviste, Section d'Archeologie et Histoire*, XI (1), 69-78.
- Bejenaru, L., Monah, D. & G. Bodi, 2010. A deposit of astragali at the Copper Age tell of Poduri-Dealul Ghindaru, Romania. *Antiquity*, Project Gallery, 084/323, <http://www.antiquity.ac.uk/projgall/bejenaru323/>
- Bejenaru, L., Oleniuc, C. & S. Stanc, 2009. A faunal assemblage from the Chalcolithic settlement of Poduri-Dealul Ghindaru (Bacau County). Preliminary data on subsistence patterns associated with Cucuteni-phase B level. *Analele Stiintifice ale Universitatii „Al. I. Cuza” Iasi, s. Biologie animala*, LV, 223-227.

Benecke, N. & A. von den Driesch, 2003. Horse exploitation in the Kazakh steppes during the Eneolithic and Bronze Age. In: M. Levine, C. Renfrew, K. Boyle (eds), *Prehistoric Steppe Adaptation and the Horse*. Cambridge McDonald Institute, 69–82.

Cavaleriu, R. & L. Bejenaru, 2009. *Cercetari arheozoologice privind Cultura Cucuteni, faza A*. Editura Universitatii "Alexandru Ioan Cuza" Iasi.

Dolukhanov, P.M., 1997. Landscape at the Mesolithic-Neolithic Transition in the Boreal East European Plain. In: J.C. Chapman & P. Dolukhanov (eds), *Landscape in Flux Central and Eastern Europe in Antiquity*, Colloquia Pontica 3. Oxford, Oxbow Books, 295-305.

Haimovici, S., 1987. Quelques problèmes d'archéozoologie concernant la culture de Cucuteni. In *La civilisation de Cucuteni en contexte européen*, BAI, I, Université «Alexandru Ioan Cuza» Iasi, 157-166.

Mantu, C. M., 1998. *Cultura Cucuteni: evolutie, cronologie, legaturi*. Bibliotheca Memoriae Antiquitatis, V, Piatra Neamt.

Monah, D., Dumitroaia, Gh., Monah, F., Preoteasa, C., Munteanu, R. & D. Nicola, 2003. *Poduri-Dealul Ghindaru. O troie in Subcarpatii Moldovei*, Bibliotheca Memoriae Antiquitatis, XIII, Piatra Neamt.

Monah, D., Popovici, D., Dumitroaia, Gh., Monah, F., Bem, C., Balasescu, A., Moise, D., Radu, V., Haita, C., Preoteasa, C., Lupascu, Gh. & V. Cotiuga, 2002. Poduri, com. Poduri, jud. Bacau. Punct: Dealul Ghindaru. *Cronica Cercetarilor Arheologice din Romania. Campania 2001*, cIMec-Institutul de Memorie Culturala, Bucuresti, 242-246.

Monah, D., Popovici, D., Dumitroaia, Gh., Monah, F., Lupascu, Gh., Cotiuga, V., Bem, C., Balasescu, A., Moise, D., Radu, V., Haita, C. & N. Sorloaica, 2001. Poduri, com. Poduri, jud. Bacau. Punct: Dealul Ghindaru. *Cronica Cercetarilor Arheologice din Romania. Campania 2000*, cIMec-Institutul de Memorie Culturala, Bucuresti, 190-198.

Oleniuc, F.C., 2010. *Cercetari arheozoologice privind Cultura Cucuteni, faza B*. Doctoral Thesis, Faculty of Biology, "Alexandru Ioan Cuza" University of Iasi.